
# LABC Registered Construction Details Masonry



## **Registration Number: E5MCPF27**



#### **Build Up**

**External Masonry Cavity Wall** 

Masonry Outer Leaf ( $\lambda = 0.77$ )

100mm Aircrete Block Inner Leaf ( $\lambda = 0.19 \text{ W/mK}$ )

Partial Fill Insulation

In Situ Ground Bearing Concrete Floor

150mm Insulation Below Slab (0.022W/mK)









## LABC Registered Construction Details Masonry



### Calculated ψ-values

	Inner leaf blockwork
	Aircrete Block λ = 0.19 W/mK
<b>Cavity Insulation</b>	ψ-value W/mK
<b>50mm</b> λ=0.022	0.093
100mm λ=0.022	0.083

#### **Points to Watch**

- Ensure cavities are kept clean of mortar snots and other debris during construction
- Damp proof membrane / air barrier should be lapped to damp proof course and plaster stop bead.
- Any service penetrations through the damp proof membrane / air barrier should be suitably sealed.
- The wall insulation installed must be considered fit for purpose below the wall dpc in relation to water absorption.







