


RD Certificate Number: EW8o8B

Thatch Fireboard System

Description

This is an assessment of the Thatch Fireboard System for use in thatched roofs. The system comprises TAS100 Thatch Fireboards (8mm environmentally friendly, magnesium-oxide board) installed over the rafters prior to the installation of a traditional thatch roof covering. Thatchbatts® (noncombustible, resin bonded, mineral Rockwool slabs) are installed between the rafters and can be supported on the Thatchbatt® Wired Fixing System. A suitable vapour control layer (VCL) must be installed according to manufacturer's instructions and, if required, a pre-determined internal finish layer.



Scope of Registration

Due to space limitations, the Registered Detail certificate should be consulted for the scope of this registration.

Validity

This system has been checked for compliance in accordance with English and Welsh Building Regulations

Registration was first issued on 05/01/17 and is valid until 05/01/18 providing there are no amendments to applicable regulations.

Issue dated 05/01/2017

Further Information

For more detailed information including access to the full certificate and supporting documents please use this link
<https://www.labc.co.uk/our-services/registered-details/rd/ew808b-thatch-fireboard-system>

Thatching Advisory Services (UK) Ltd

8-10 Queen Street

Seaton

Devon

EX12 2NY

Tel: 01297 23671

Email: info@tas-uk.co.uk

Web: www.thatchingadvisoryservices.co.uk

